



5th MIDDLE EUROPEAN MATHEMATICAL OLYMPIAD
VARAŽDIN 2011 CROATIA

language: English

5th Middle European Mathematical Olympiad

INDIVIDUAL COMPETITION

3rd SEPTEMBER 2011

Problem I-1.

Initially, only the integer 44 is written on a board. An integer a on the board can be replaced with four pairwise different integers a_1, a_2, a_3, a_4 such that the arithmetic mean $\frac{1}{4}(a_1 + a_2 + a_3 + a_4)$ of the four new integers is equal to the number a . In a step we simultaneously replace all the integers on the board in the above way. After 30 steps we end up with $n = 4^{30}$ integers b_1, b_2, \dots, b_n on the board. Prove that

$$\frac{b_1^2 + b_2^2 + \dots + b_n^2}{n} \geq 2011.$$

Problem I-2.

Let $n \geq 3$ be an integer. John and Mary play the following game: First John labels the sides of a regular n -gon with the numbers $1, 2, \dots, n$ in whatever order he wants, using each number exactly once. Then Mary divides this n -gon into triangles by drawing $n - 3$ diagonals which do not intersect each other inside the n -gon. All these diagonals are labeled with number 1. Into each of the triangles the product of the numbers on its sides is written. Let S be the sum of those $n - 2$ products.

Determine the value of S if Mary wants the number S to be as small as possible and John wants S to be as large as possible and if they both make the best possible choices.

Problem I-3.

In a plane the circles \mathcal{K}_1 and \mathcal{K}_2 with centers I_1 and I_2 , respectively, intersect in two points A and B . Assume that $\angle I_1 A I_2$ is obtuse. The tangent to \mathcal{K}_1 in A intersects \mathcal{K}_2 again in C and the tangent to \mathcal{K}_2 in A intersects \mathcal{K}_1 again in D . Let \mathcal{K}_3 be the circumcircle of the triangle BCD . Let E be the midpoint of that arc CD of \mathcal{K}_3 that contains B . The lines AC and AD intersect \mathcal{K}_3 again in K and L , respectively. Prove that the line AE is perpendicular to KL .

Problem I-4.

Let k and m , with $k > m$, be positive integers such that the number $km(k^2 - m^2)$ is divisible by $k^3 - m^3$. Prove that $(k - m)^3 > 3km$.

Time: 5 hours

Time for questions: 45 min

Each problem is worth 8 points.

The order of the problems does not depend on their difficulty.